

Computer Networks X_400487

Lecture 10

Chapter 7: The Application Layer



Lecturer: Jesse Donkervliet
with slides from Lin Wang



Copyright Jesse Donkervliet 2024

Vrije Universiteit Amsterdam

Additive increase
multiplicative decrease in TCP

AIMD used to prevent network congestion. Converges to fair and efficient bandwidth allocation

TCP implements this using its **congestion window**

Congestion window is tracked on the sender.
Specifies how many segments can be transmitted.

Not the same as the 'window size' field in the TCP segment header!


Q: How does TCP combine the two windows?

Copyright Jesse Donkervliet 2024

2

AIMD in TCP
What value to start with?

We want **fast convergence**, but sending a large burst can occupy low-bandwidth links for a long time.




Copyright Jesse Donkervliet 2024

3

AIMD in TCP
'slow' start

Previous algorithm used congestion window = flow control window. Slow start is slower in comparison




Copyright Jesse Donkervliet 2024

4

TCP 'slow' start

Arbitrary threshold switches from 'slow' start to **additive increase**.




Copyright Jesse Donkervliet 2024

5

TCP Tahoe

Arbitrary threshold switches from 'slow' start to **additive increase**.

Q: Can you think of another way to detect packet loss?




Copyright Jesse Donkervliet 2024

6

Performance improvement Fast *retransmission*

Detects lost packets before ack timer runs out




We can count the number of packets in the network!

TCP Reno (= TCP Tahoe + fast *recovery*)

Calculates the number of segments in the network by counting the number of duplicate acknowledgements (home study: see previous slide)


Threshold reduced using *multiplicative decrease*
Congestion window set to new threshold value



What about Explicit Congestion Notification?

M = regular IP packet with TCP segment

M = Explicit Congestion Notification (ECN) set in IP header




What about Explicit Congestion Notification?

M = regular IP packet with TCP segment

M = Explicit Congestion Notification (ECN) set in IP header

M = ECN-Echo (ECE) set in TCP header




What about Explicit Congestion Notification?

M = regular IP packet with TCP segment

M = Explicit Congestion Notification (ECN) set in IP header

M = ECN-Echo (ECE) set in TCP header

M = Congestion Window Reduced (CWR) set in TCP header



Milestone reached!

Creating large-scale distributed systems is difficult!

We can now *start* building applications and systems that communicate over a network!

Advanced courses unlocked:

1. Advanced Network Programming
2. Advanced Computer Networks
3. Distributed systems (also requires Computer Organization and Operating Systems)


You are here



Now we can finally build applications and no longer worry about networking!

Or so we thought!


SSH IMAP FTP
RPC MQTT SMTP
XMPP HTTP QUIC



Where The Application Layer Sits

Application layer protocols are often part of an "app"


But they don't need a GUI, e.g., DNS



Application Layer Messages


Application layer messages are often split over multiple packets

Or may be aggregated in a packet



Application Communication Needs

Vary widely with app; must build on Transport services



OSI Session/Presentation Layers

Two relevant concepts...

| | | |
|--|-----------------------|------------------------------------|
| Consider part of the applications, not strictly layered! | Application | Provides functions needed by users |
| | Presentation | Converts different representations |
| | Session | Manages task dialogs |
| | Transport | Provides end-to-end delivery |
| | Network | Sends packets over multiple links |
| | Data Link | Sends frames of information |
| Physical | Sends bits as signals | |

Session Concept

A session is a series of related network interactions in support of an application task

- Often informal, not explicit
- Examples:
 - Web page fetches multiple resources
 - Zoom call involves audio, video, chat



Presentation Concept

Apps need to identify the type of content, and encode it for transfer


- These are Presentation functions

Examples:

- Media (MIME) types, e.g., image/jpeg, identify the type of content
- Transfer encodings, e.g., gzip, identify the encoding of the content
- Application headers are often simple and readable versus packed for efficiency

Evolution of Internet Applications

Always changing, and growing...



2021 This Is What Happens In An Internet Minute

1. 28,000 people watching Netflix
2. 500 hours of content uploaded to YouTube
3. 2 million Twitch views
4. 3.4 million Snaps created



Application Layer Topics

1. Domain Name System (DNS)
2. Email
3. Web (HTTP, Web caching/proxy)
4. Multimedia applications

Domain Name System

Domain Name System

An application used by the network itself!

Machines on the internet are identified by their **IP address**

These addresses are difficult for humans to remember!


Q: Can you think of another disadvantage?

<http://4.31.198.44/rfc1035.txt>
j.j.r.donkervliet@131.180.77.82

DNS translates **human readable names** to IP addresses


DNS name space

Hierarchical structure.




DNS name space

Hierarchical structure.




DNS name space

Hierarchical structure.



DNS name space

Hierarchical structure.



DNS name space

If you control a domain, you can specify arbitrary subdomains.

United Kingdom uses **ac.uk** for academic use and **co.uk** for commercial use.

The Netherlands puts everything directly under **.nl**.

Name servers


Q: How does Alice's machine know where to find the name server?

```

DNS server assignment: Automatic (DHCP)
Link speed (Receive/Transmit): 100/100 (Mbps)
IPv4 address: 192.168.2.254 (Subnet: 192.168.0.0/24)
Link-local IPv6 address: fe80::a130:56ff:fe22:1954
IPv6 DNS servers: 2a02:4780::53 (Encrypted)
2a02:4780::54 (Encrypted)
IPv4 address: 192.168.2.254
IPv6 DNS servers: fe80::2254 (Unencrypted)

```

To translate a domain name to an IP address, you ask a **name server**.




Location of name servers

Hosts learn about the location of name servers via **DHCP**
 The **operating system** keeps track of name servers and dynamically selects which one to use

```
Linux
cat /etc/resolv.conf
Windows
ipconfig /all
```


Dynamic Host Configuration Protocol (DHCP)

MAC addresses are built into NICs. But network addresses are not.
 Used to configure other settings such as: **DNS name servers**, addresses of default gateway, time servers, etc.



Recursive and iterative queries

Other name servers are in **iterative mode**



```
(base) jesse@jesse-tps-2022:~$ dig canvas.vu.nl
;<<< DIG 9.16.1-Ubuntu <<< canvas.vu.nl
;; global options: +cmd
;; Got answer:
;;->>>HEADER<<- opcode: QUERY, status: NOERROR, id: 41657
;; flags: qr rd ad; QUERY: 1, ANSWER: 5, AUTHORITY: 0, ADDITIONAL: 0
;; WARNING: recursion requested but not available
;; QUESTION SECTION:
;canvas.vu.nl. IN A
;; ANSWER SECTION:
canvas.vu.nl. 0 IN CNAME vu-vasity.instructube.com
vu-vasity.instructube.com. 0 IN A 172.31.224.183
canvas-dub-prod-cd4-1303699784.eu-west-1.elb.amazonaws.com. 0 IN A 54.17.144.218
canvas-dub-prod-cd4-1303699784.eu-west-1.elb.amazonaws.com. 0 IN A 54.216.29.136
canvas-dub-prod-cd4-1303699784.eu-west-1.elb.amazonaws.com. 0 IN A 54.77.55.232
;; Query time: 9 msec
;; SERVER: 172.31.224.183(172.31.224.1)
;; MSGS: Mon May 15 14:47:46 CEST 2023
;; MSG SIZE rcvd: 284
```

DNS Resource Record (RR) Types

Name servers reply with **domain resource records**. A record can contain:


1. **IPv4 address** (record type A)
2. **IPv6 address** (record type AAAA)
3. Domain that accepts **email** (record type MX)
4. **Name server** for this domain (record type NS)
5. **Alias** to Canonical Name (record type CNAME)
6. ...

Content Delivery Networks

Content delivery networks

Q: How to make sure users do not all contact the same node?

A type of **caching** to increase system scalability.




Copyright IBM
DorlandNet 2024

37

Content delivery networks

Front end forwards requests and distributes load

A type of **caching** to increase system scalability.



Copyright IBM
DorlandNet 2024


38

Content delivery networks

Powered by DNS

DNS can be used for load balancing!

A type of **caching** to increase system scalability.



Copyright IBM
DorlandNet 2024

39

Content delivery networks

Powered by DNS

```
$ dig @192.5.6.30 ibm.com
;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 4096
;; QUESTION SECTION:
; ibm.com.                IN      A
;;
;; AUTHORITY SECTION:
ibm.com. 172800 IN NS   usw2.akam.net.
ibm.com. 172800 IN NS   usc2.akam.net.
ibm.com. 172800 IN NS   eur2.akam.net.
ibm.com. 172800 IN NS   ns1-99.akam.net.
ibm.com. 172800 IN NS   ns1-206.akam.net.
ibm.com. 172800 IN NS   asia3.akam.net.
ibm.com. 172800 IN NS   usc3.akam.net.
ibm.com. 172800 IN NS   eur5.akam.net.
```

Copyright IBM
DorlandNet 2024

40

Content delivery networks

Powered by DNS

```
$ dig @192.5.6.30 ibm.com
;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:;
;; QUESTION SECTION:
; ibm.com.
```

'akam' means 'Akamai',
a CDN company.


```
;; AUTHORITY SECTION:
ibm.com. 172800 IN NS   usw2.akam.net.
ibm.com. 172800 IN NS   usc2.akam.net.
ibm.com. 172800 IN NS   eur2.akam.net.
ibm.com. 172800 IN NS   ns1-99.akam.net.
ibm.com. 172800 IN NS   ns1-206.akam.net.
ibm.com. 172800 IN NS   asia3.akam.net.
ibm.com. 172800 IN NS   usc3.akam.net.
ibm.com. 172800 IN NS   eur5.akam.net.
```

Copyright IBM
DorlandNet 2024

41

Application Layer Topics

1. Domain Name System (DNS)
2. Email
3. Web (HTTP, Web caching/proxy)
4. Multimedia applications



Copyright IBM
DorlandNet 2024

42

Email

Not too long ago, email was all we had! Now, more options are available.



Almost **200 million** emails sent every minute!
 • 9 out of 10 emails are spam!

You can send and receive email on **your own** domain.

Or you can use a (free) email service provided by a company or organization:



Metcalf's Law

The value of a network is proportional to the square of the number of users.
 (I.e., value is proportional to the number of possible connections.)

As networks get larger, there is more value in joining them, making them larger, ...


We don't know what will be tomorrow's network applications, but we know that these networks will continue growing.
 Mobile, Internet of Things (IoT), ...

Email Message formats

Envelope is used to get message to correct recipient.

Messages contain:

1. An envelope
2. A header
3. A body




Other helpful headers:

Message-Id, In-Reply-To, Reply-To, ...

Email How does it work?

Email uses multiple protocols:


1. Users use **POP3** or **IMAP** to interact with their **mailbox**.



Email How does it work?


Email uses multiple protocols:

1. Users use **POP3** or **IMAP** to interact with their **mailbox**.
2. Users and **Message Transfer Agents** use **SMTP** to send email from a source to a destination.



Email How does it work?

Powered by DNS!




Email How does it work?

Q: Example of a proprietary protocol used for *final delivery*?

Mail submission uses SMTP + Extensions (e.g. AUTH).

Message transfer between mail servers uses SMTP.



Final delivery uses IMAP/POP3 or a propriety protocol.

Copyright 1994
DorlandNet 2024

49

Internet Message Access Protocol (IMAP)

RFC 9000

Q: Does gmail.com use POP3 or IMAP?

Ports:
143, 993

Sends commands to **mail server** to manipulate mailboxes
Common commands:

1. LOGIN. Log into server
2. FETCH. Fetch messages from a folder
3. CREATE/DELETE. Create or delete a folder
4. EXPUNGE. Remove messages marked for deletion

Uses mostly plain text!

Replaced POP3 protocol

Security through TLS (not covered in the course)

Copyright 1994
DorlandNet 2024

50

Simple Mail Transfer Protocol (SMTP)

RFC 5321

Ports: 25,
587

SMTP uses ASCII

You can use TELNET to talk to a mail server!

```
S: 220 ee.uwa.edu.au SMTP service ready
C: HELO abcd.com
S: 250 cs.washington.edu says hello to ee.uwa.edu.au
C: MAIL FROM: <alice@cs.washington.edu>
S: 250 sender ok
C: RCPT TO: <bob@ee.uwa.edu.au>
S: 250 recipient ok
C: DATA
S: 354 Send mail; end with "." on a line by itself
C: ..
```

FROM field *not checked!*

Basic SMTP does not support binary data!

Basic SMTP does not include authentication!

Many extensions exist to address these issues.

Copyright 1994
DorlandNet 2024

51

Multipurpose Internet Mail Extensions (MIME)

Developed for email, now used more broadly

Adds headers to email:

- MIME-Version
- Content-Description
- Content-Id
- Content-Transfer-Encoding
- Content-Type

If MIME-Version in header
check Content-Type
Else
plain text

Copyright 1994
DorlandNet 2024

52

MIME Content-Type

1. Text: text/plain, text/html
2. Images: image/jpeg, image/gif
3. Video: video/mp4, video/mpeg
4. **Multipart**: multipart/mixed, multipart/alternative

Used to create messages with multiple data types (e.g., an email with attachment).

Basic SMTP does not support binary data!

Copyright 1994
DorlandNet 2024

53

Multipurpose Internet Mail Extensions (MIME)

Developed for email, now used more broadly

Adds headers to email:

- MIME-Version
- Content-Description
- Content-Id
- Content-Transfer-Encoding
- Content-Type

If MIME-Version in header
check Content-Type
Else
plain text

Copyright 1994
DorlandNet 2024


54

Modern SMTP protocol supports binary data

Sending binary data via ASCII-only SMTP

When MIME was introduced, servers were not expecting non-ASCII data.

Q: How to send binary via a server that can only handle ASCII?



Base64 encoding

Q: How large is the overhead of base64 encoding?

Used to convert binary data to and from ASCII.


Alphabet: [A-Za-z0-9+/-]

6 bits are translated into 1 character.



Base64 encoding


binary to ASCII example



000000: A
000001: B
000010: C
...
011001: Z
011010: a
011011: b
...
110011: z
110100: 0
110101: 1
...
111101: 9
111110: +
111111: /


Base64 encoding

Only 4 bits left!



000000: A
000001: B
000010: C
...
011001: Z
011010: a
011011: b
...
110011: z
110100: 0
110101: 1
...
111101: 9
111110: +
111111: /


Base64 encoding



000000: A
000001: B
000010: C
...
011001: Z
011010: a
011011: b
...
110011: z
110100: 0
110101: 1
...
111101: 9
111110: +
111111: /

Base64 encoding to send arbitrary data types

1. Text: text/plain, text/html
2. Images: image/jpeg, image/gif
3. Video: video/mp4, video/mpeg
4. **Multipart**: multipart/mixed, multipart/alternative



The Web provides a common interface to our digital society

Copyright iMoo, DonkerWet 2024 61

Application Layer Topics

1. Domain Name System (DNS)
2. Email
3. **Web (HTTP, QUIC, WebSocket)**
4. Multimedia applications



Hypertext

Vannevar Bush described the Memex, a device for storing data *associatively*
 The idea existed before digital computers and digital media (e.g., libraries)



Hypertext invented by Ted Nelson and Douglas Engelbart



The Web TCP+DNS+Hypertext

Tim Berners-Lee, a computer engineer at CERN, started the modern Web by combining TCP, DNS, and hypertext in 1989

He now directs the World Wide Web Consortium (W3C)



Page last updated at 10:52 GMT, Wednesday, 14 October 2009 11:52 UK

E-mail this to a friend Printable version

Berners-Lee 'sorry' for slashes

The forward slashes at the beginning of internet addresses have long annoyed net users and now the man behind them has apologised for using them.




Sir Tim Berners-Lee, the creator of the World Wide Web, has confessed that the // in a web address were actually "unnecessary".

Tim Berners-Lee started the web to help scientists communicate


HTTP Request/Response

HTML documents hosted by servers.
Clients sends request for document from server.



Evolution of HTTP

Optimizations are gradually incorporated to improve performance/security



HTTP Protocol


Similar to chat application from the lab!

Originally a simple text-based protocol
Many options added over time

Try it yourself:

```
$ telnet en.wikipedia.org 80
GET wiki/HTML HTTP/1.0
```

HTTP Request via TELNET




HTTP Request Methods


Methods: GET, POST, PUT, HEAD, ...

```
$ curl -v -L --http1.1 https://vu.nl -o /dev/null
...
> GET / HTTP/1.1
> Host: vu.nl
> User-Agent: curl/7.64.1
> Accept: */*
...
https://www.w3.org/TR/2010/WD-html5-20100624/
Specifies the protocol, the domain name, and a path.
```


Web pages based on Hypertext



HTTP Performance Problem Head of Line Blocking (HOL)



HTTP1.1 Pipelined requests



HTTP/2


- 1. Binary instead of plaintext.
 - Easier for machines to parse
 - More difficult for humans to read

Q: Why would it be easier for machines?
- 2. Multiplexed streams over a single TCP connection.
 - Supports out-of-order responses!
- 3. Server push allows the server to send resources before the client asks for it explicitly.




Head-of-Line Blocking in HTTP/2

Despite *pipelining* (HTTP1.1) and *out-of-order responses* (HTTP/2), HTTP/2 performance still suffers from a type of Head of Line blocking



Head-of-Line Blocking in HTTP/2

Despite *pipelining* (HTTP1.1) and *out-of-order responses* (HTTP/2), HTTP/2 performance still suffers from a type of Head of Line blocking




QUIC orders data per stream [RFC 9051](#)

HTTP/3 (HTTP + QUIC)

Each HTTP request can use a separate stream; within a stream, data is delivered in order; across streams no such guarantee is made

HTTP/3 uses the *QUIC* protocol

QUIC performs multiplexing, uses UDP



RFC 6455

WebSockets

Application layer protocol

Q: Can the application layer contain protocols?

A socket-like interface on the application layer.
Full-duplex connection between server and client.

Q: Can you think of a use-case?

Increasingly complex 'apps' on the Web that need to send data continuously.

Examples:

- irc-ws.chat.twitch.tv

irc-ws.chat.twitch.tv other 1.10 MB

- ws.todoist.com

Copyright Intel
DorlandNet 2024

https://tools.ietf.org/html/rfc6455

91

RFC 6455

WebSockets

Application layer protocol

A socket-like interface on the application layer.
Full-duplex connection between server and client.

Q: Can you think of a use-case?

Increasingly complex 'apps' on the Web that need to send data continuously.

Examples:

- irc-ws.chat.twitch.tv

irc-ws.chat.twitch.tv other 1.10 MB

- ws.todoist.com


'ws' stands for
WebSocket

Copyright Intel
DorlandNet 2024

92

Stacking

Application layer protocols




Copyright Intel
DorlandNet 2024

93

Stacking

Application layer protocols




Copyright Intel
DorlandNet 2024

94

Stacking

Application layer protocols



Copyright Intel
DorlandNet 2024

95

Starting a WebSocket over HTTP

```
GET /chat HTTP/1.1
Host: example.com:80
Upgrade: websocket
Connection: Upgrade
Sec-WebSocket-Key: dGh1IHhxbXBsZSsub25jZQ==
Sec-WebSocket-Version: 13
```

Client requests to switch
to WebSocket protocol

```
HTTP/1.1 101 Switching Protocols
Upgrade: websocket
Connection: Upgrade
Sec-WebSocket-Accept:
s3pPLMBiTxaQ9kYGzhzRbK+x0o=
```

Reply from server if it accepts

Copyright Intel
DorlandNet 2024

96


WebSocket frame format

```

1  Frame Format:
2
3  0      1      2      3
4  0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1
5  +-----+-----+-----+-----+
6  |R|R|R|R| opcode|M| Payload len | Extended payload length |
7  |12|5|5|5| (4) |M| (7) | | (16|64) |
8  |N|V|V|V|V| |S| | | (if payload len=126/127) |
9  |1|1|2|13| |K| | |
10 -----
11 | Extended payload length continued, if payload len = 127 |
12 |
13 | Masking-key, if MSK set to 1 |
14 -----
15 | Masking-key (continued) | Payload Data |
16 -----
17 | Payload Data continued ... |
18 |
19 | Payload Data continued ... |
20 -----
    
```

Copyright Intel, December 2024. https://developer.mozilla.org/en-US/docs/Web/API/WebSocket_API/Writing_WebSocket_servers 97

HTTP is the new "narrow waist"



E.g., REST APIs

| Method | Description |
|--------|--------------------------|
| GET | Read a Web page |
| HEAD | Read a Web page's header |
| POST | Append to a Web page |
| PUT | Store a Web page |

Q: Advantages over using TCP directly?

- Answers include:
- Provides set of methods
 - Provides security
 - Provides naming

Copyright Intel, December 2024. Source: Peterson, Larry L., and Bruce S. Davie. Computer networks: a systems approach. Elsevier, 2007. 98

Application Layer Topics

1. Domain Name System (DNS)
2. Email
3. Web (HTTP, QUIC, WebSocket)
4. **Multimedia applications**


Copyright Intel, December 2024. 99

Video dominates

2021 This is What Happens In An Internet Minute

Video constitutes around 70 percent of all global mobile network traffic in 2022

- 28,000 people watching Netflix
- 500 hours of content uploaded to YouTube
- 2 million Twitch views
- 3.4 million Snaps created



Copyright Intel, December 2024. Source: <https://www.kissflow.com/en/reports-and-papers/mobile-report/data/sectors/traffic-by-application> 100

Streaming Video Requires Compression

1024 height x 2048 width = 2M pixels
 1 pixel = 1 byte
 30 frames per second → 60 MB/s = 480 Mbps

Without compression, only possible over wired fibre-optic channels

Copyright Intel, December 2024. 101

Compression reduced bandwidth requirement by an order of magnitude

Internet connection speed recommendations

To watch TV shows and movies on Netflix, we recommended having a stable internet connection with a download speed shown below in megabits per second (Mbps).

| Video quality | Resolution | Recommended speed |
|-----------------------------|------------|-------------------|
| High definition (HD) | 720p | 3 Mbps or higher |
| Full high definition (FHD) | 1080p | 5 Mbps or higher |
| Ultra high definition (UHD) | 4K | 15 Mbps or higher |

Copyright Intel, December 2024. Source: <https://help.netflix.com/en/mobu206> 102

Large compression rates $> \times 10$.

Digital audio compression

Audio typically compressed before sending.

Lossy compression achieves higher compression rates than **lossless compression**, but **loses data**.


Q: Why is lossy compression acceptable?

Lossy encoders based on how humans perceive sound.

Copyright iMall
Dankw/Net 2024

103


Human hearing frequency range



Copyright iMall
Dankw/Net 2024

104

Human hearing masked signals



Copyright iMall
Dankw/Net 2024

105

Digital video JPEG compression

Changes RGB to YC_bC_r .

Y is luminance.

C_bC_r are chrominances.

Q: Why change to this format?

Eyes are **less** sensitive to chrominance than to luminance.

JPEG reduces size of C_b and C_r .
Total compression rate $\times 2$.

Copyright iMall
Dankw/Net 2024

106


Large compression rates $> \times 50$.

Digital video

Q: What is the use of **bidirectional frames**?

MPEG compresses over a sequence of frames, further using motion tracking to remove temporal redundancy

1. I (Intra-coded) frames are self-contained
2. P (Predictive) Looks for comparable **macro blocks** in previous frames. **How long to search is up to the implementation.**
3. B (Bidirectional) frames may base prediction on previous frames and **future** frames.




Copyright iMall
Dankw/Net 2024

107

Run-Length Encoding

Part of JPEG Compression

A lossless compression technique.



Copyright iMall
Dankw/Net 2024

108

Huffman Encoding

Prefix code: no code word is prefix of other code word

Q: Why is this useful?

String "application layer" ASCII 61 70 70 6c 69 63 61 74 69 6f 6e 6c 61 79 65 72 (128 bits)
 Huffman Encoding 11 101 101 100 0111 0110 11 0101 0111 0100 0011 100 11 0010 0001 0000 (54 bits)


Less than half the original size! $\frac{54}{128} < 0.42$

Copyright 1994
 Donker/Mat 2024

109

Huffman Encoding "application layer"

Form a tree by select the two smallest nodes, and combining them into a new node, until only the root is left.



Copyright 1994
 Donker/Mat 2024

110

Networking Challenges for Multimedia Applications

Copyright 1994
 Donker/Mat 2024


111

Challenge 1 Streaming stored media



How to handle **transmission errors**?


- Use reliable transport (e.g., TCP).
 - Increases jitter significantly.
- Use **forward error correction** (error correction in the application layer).
 - Increases jitter, decoding complexity, and overhead.
- Interleave media
 - Slightly increases jitter and decoding complexity.



Copyright 1994
 Donker/Mat 2024

112

Masking errors by interleaving media



Copyright 1994
 Donker/Mat 2024

113

Challenge 1 Streaming stored media



Low-water mark prevents **stalls** in playback.
 High-water mark gives client time to prevent **running out of buffer space**.

Copyright 1994
 Donker/Mat 2024

114

Challenge 2 Streaming live media



Streaming live media is similar to the stored case plus:

1. Can't stream faster than **live rate** to get ahead
 - Usually need larger buffer to absorb jitter
2. Often have many users viewing at the same time
 - UDP with multicast greatly improves efficiency. It is rarely available, so **many TCP connections are used**.

Copyright 2024
Domenec 2024

115

Challenge 3 Streaming interactive media



Real-time conferencing has two or more connected live media streams, e.g., voice over IP, Skype video call

Requires low jitter **and** low latency.

1. Benefits from network support (Quality of Service).
2. Large bandwidth (no congestion).

Difficult to provide across long distances/multiple networks

Copyright 2024
Domenec 2024

116

Take-Home Message

- Many responsibilities and pseudo layers hidden in Application Layer
 - From OSI: Presentation, Session. Others: WebSocket, RTP, etc.
- Important behind-the-Scenes applications exist (e.g., DNS)
- Traditional "killer apps" for the Internet:
 - Email
 - The Web
- HTTP is the new "narrow waist"
 - Improved over time (HTTP/2 [SPDY], HTTP/3 [QUIC])
- Today's Internet is increasingly used for multimedia applications
 - Provide new challenges (high bandwidth, low latency, low jitter)

Copyright 2024
Domenec 2024

117

Quiz

Check canvas or scan the code →



Rules of Engagement:

- Pen and paper allowed
- Do the quiz by yourself
- Closed-book (no external sources of information)
- No calculators

Quiz ends at 17:19!



Copyright 2024
Domenec 2024

118